

708E07CD-820A-4FCF-AFF7-5BCC68976028.jpeg



CE1C2F01-4D0C-487E-9B5D-B27FF58C51A0.jpeg





8DAF4612-17E0-414C-884A-354DEDDE307B.jpeg









4C0CBDAC-99C3-4948-B31C-B78E12334170.jpeg





A0482A12-E712-4231-8A89-96F1E6A2DAB0.jpeg







3AEC1C55-AD38-4215-AEBE-8FC2E63DE38A.jpeg



AA762477-9985-4ABC-A3D4-DC66D162A4C8.jpeg





24C161B6-EF7A-42D3-BBFF-98D8FF8B5728.jpeg



7A1155F4-579D-45F1-99BF-0465CA07F971.jpeg





80AE2FEA-F99D-485E-82E1-DCC0F51AF01B.jpeg



57067BEB-5F67-401E-9620-ACBB2D5C9963.jpeg





AC607CFA-17B0-40C5-B05F-9C2BC6D1B4EB.jpeg



D2CEA677-F956-403E-8813-DA1A01CDDE23.jpeg





C00DD5F2-B58A-4B01-BD48-716BA9A0E293.jpeg







FA7D2962-9129-48FB-8151-EE48CA2544C5.jpeg



2E52A2FD-E21D-4BB8-B7E5-A5A5AFAB0EC7.jpeg



ELITE



158AD9CF-59E8-4192-A3C5-AA3D8DF60A4F.jpeg



EEA694B4-CF44-4104-BBB7-DFB4D652A356.jpeg



Entire



5863DC56-685A-471F-841E-65C3F5B734D7.jpeg



38D43410-DEB1-40FD-96BF-F18DDC624310.jpeg





18C97A49-D99A-49DF-A9C4-348E6706CC8A.jpeg



1DA240FD-94C3-4B3F-B6FE-075DC11CC33C.jpeg





B96A2A90-4D36-432C-B3C0-2A924C183426.jpeg





30EFEAC2-1E10-49B8-BE97-22BB2B7E981E.jpeg





17089A3D-FA18-482C-A23B-06E11CD03461.jpeg







3B254B89-5558-4B12-A251-BC2CB8D94AFA.jpeg





F41F2383-79DC-491A-A741-E9C52E4CBBDE.jpeg





3CD01C4B-CA4E-46D6-8BF9-5A241AB11F2E.jpeg





3E03CE6E-EFB3-4EDA-A18D-5B5C14669584.jpeg





288ED1E9-C632-450E-B0B9-4579A1BC164B.jpeg



717AB3B2-A7D2-4D97-B514-5CB518BD7EB5.jpeg





1D65D962-E597-4486-A145-CDDE18C3D411.jpeg





B3965D28-C8EC-4C99-9ADB-B97930760BB7.jpeg





15C9D424-C97D-4B3B-B272-FAC2E58155A5.jpeg



EntireDoc

A1707F5A-5085-4819-874F-CE9F9EA5AFA8.jpeg





A9D6205E-95F9-4833-8255-BC6431D85BC7.jpeg



F52E1D75-A499-42DD-9508-3384FABCB79A.jpeg





A4C26E9B-D86C-42D4-80B1-99C193106C9D.jpeg







MFD BY GENERAL MOTORS DE MEXICO, S. DE R.L. DE C.V. 02/12  
FAB. PAR GENERAL MOTORS DE MEXICO, S. DE R.L. DE C.V.

GVWR	GAWR FRT	GAWR RR
PNBV	PNBE AV.	PNBE ARR.
2480KG(5467LB)	1410KG(3108LB)	1300KG(2866LB)



ICES/NMB-002



3GYFNGE36CS576593 TYPE: MPV/TUM

MODEL/MODÈLE NG26

NBBK	TIRE SIZE	SPEED RTG	RIM	GOLD TIRE PRESSURE
	DIM. PNEU	COTE VITESSE	JANTE	PRESSIGN A FROID
FRT/AV.	P235/65R18	H	18X8J	240 KPA(35PSI)
RR/ARR.	P235/65R18	H	18X8J	240 KPA(35PSI)
SPA/SOS	T135/70R18	M	18X4.5B	420 KPA(60PSI)

EUREKA



A9F0F67D-24E6-4D9C-BE60-685D8D76C243.jpeg



image.jpg

