

GM MFD BY GENERAL MOTORS DE MEXICO, S. DE R.L. DE C.V. 02/16
FAB. PAR GENERAL MOTORS DE MEXICO, S. DE R.L. DE C.V.

GVWR	GAWR FRT	GAWR RR
PNBV	PNBE AV.	PNBE ARR.
3447KG(7600LB)	1792KG(3950LB)	1951KG(4300LB)

i ICES/NMB-002 **EC** 

3GCUKSEC5GG248549 TYPE: TRU/CAM

MODEL/MODÈLE	K15543			
KGX7	TIRE SIZE	SPEED RTG	RIM	COLD TIRE PRESSURE
	DIM. PNEU	COTE VITESSE	JANTE	PRESSION A FROID
FRT/AV.	P275/55R20	S	20X9J	220 KPA(32PSI)
RR/ARR.	P275/55R20	S	20X9J	240 KPA(35PSI)
SPA/SOS	P265/70R17	S	17X7J	240 KPA(35PSI)

Entrepreneur

IMG_2755.jpeg



20260429_131205.jpg



20260429_131209.jpg



20260429_131212.jpg



20260429_131216.jpg



20260429_131223.jpg





20260429_131229.jpg



20260429_131234.jpg



20260429_131237.jpg



20260429_131241.jpg



20260429_131247.jpg



20260429_131251.jpg







GG248949

VEHICLE EMISSION CONTROL INFORMATION



Conforms to Regulations: 2016 Fuel: Gasoline
U.S. EPA class / stds: LDT / TIER2
California class / stds: LDT / ULEV125
Group: GGMXT05.3384 5.3L
Evap: 25-27 gal tank: GGMXR0176820 / 31-35 gal tank: GGMXR0223840
DGI/HQ2S/TWC, CA OBD: II

Entrepreneur



ELECTRONIC

20260429_131259.jpg



20260429_131305.jpg



20260429_131310.jpg



20260429_131853.jpg



20260429_131854.jpg



20260429_131900.jpg



20260429_131925.jpg



20260429_131932.jpg



20260429_131934.jpg





















20260429_132401.jpg









20260429_132554.jpg





20260429_132601.jpg



20260429_132612.jpg





20260429_132627.jpg



20260429_132629.jpg



20260429_132630.jpg



20260429_132648.jpg

















20260429_132753.jpg





