




IMG_1075.jpeg



FABRIQUÉ PAR: MANUFACTURED BY:		REMEQ inc.		391, ST-JEAN BAPTISTE NORD PRINCEVILLE (QC) CANADA G6L 5G3 819 364-5400	
DATE FABRIQUÉ: DATE MFD:		2021-09	PNBV / KGS. GVWR / LBS.		1591 / 3500
PNBE KGS. GAWR LBS.	PNEU / TIRE - DIMENSION - JANTE / RIM		PRESS. DE GONF. À FROID COLD INFL. PRESS.		
1591 / 3500	ST205/75R14 C 14" X 6.00 JJ		PSI	KPA	
N.I.V. / V.I.N.		2REA2S6C3N2143555		THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS (FMVSS) IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE	
TYPE:		REMTRA PSC-3500-BG			

... load carrying capacity
4246 kg 2741.2 lbs
charge utile maximale

IMG_6330.jpeg



IMG_6331.jpeg



IMG_6332.jpeg



IMG_6333.jpeg



IMG_6334.jpeg



IMG_6335.jpeg



IMG_6336.jpeg



IMG_6337.jpeg



IMG_6338.jpeg



IMG_6339.jpeg



IMG_6340.jpeg



IMG_6342.jpeg





IMG_6344.jpeg



ENTREPRENEUR

IMG_6345.jpeg



IMG_6346.jpeg



IMG_6362.jpeg



IMG_6361.jpeg



Entirety

IMG_6364.jpeg



IMG_6348.jpeg



IMG_6349.jpeg



IMG_6350.jpeg



IMG_6351.jpeg



IMG_6352.jpeg



IMG_6353.jpeg



IMG_6354.jpeg



IMG_6355.jpeg



IMG_6356.jpeg



IMG_6357.jpeg



IMG_6358.jpeg



IMG_6359.jpeg



IMG_6360.jpeg



IMG_6367.jpeg



IMG_6368.jpeg



IMG_6366.jpeg



IMG_6364.jpeg



IMG_6344.jpeg



Entrepreneur

IMG_6335.jpeg

