



MF'D BY / FABRIQUÉ PAR : ALCOM, LLC DATE : 12/2022 COLD INFL. PRESS. / PRESS. DE GONFL. À FROID
GAWR (EACH AXLE) PNBE (CHAQUE ESS) TIRE / PNEU RIM / JANTE KPA (PSI / LPC)
3175 KG (7000 LB) 1588 KG (3500 LB) ST 205/75R15 15 X 5 J 345 KPA (50 PSI) / SINGLE
THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. / CE VEHICULE EST CONFORME À TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU RÈGLEMENT SUR LA SÉCURITÉ DES VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR À LA DATE DE SA FABRICATION
THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE
5WFB E1626PW129174 TYPE: TRA/REM XPRESS 7X16-IF
MADE IN THE USA













































