

Dry weight: 7310 VIN: 5ZT3CLSB2DA307009
THE WEIGHT OF CARGO SHOULD NOT EXCEED
 1012 kg or 2231 lbs

CAUTION:
 A full load of water equals 151 kg or 333 lbs of cargo @ 1 kg/L (8.33 lb/gal)

RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

Le poids du chargement ne doit jamais dépasser
1012 Kgs or 2231 Lbs

PNEU	DIMENSIONS	PRESSION DES PNEUS À FROID	VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
AVANT	ST225/75R15D	65 lb/po2 448 KPA	
ARRIÈRE	ST225/75R15D	65 lb/po2 448 KPA	
DE SECOURS	ST225/75R15D	65 lb/po2 448 KPA	

TIRE AND LOADING INFORMATION

The combined weight of Cargo should Not Exceed
1012 Kgs or 2231 Lbs

TIRE	SIZE	COLD TIRE PRESSURE	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION
FRONT	ST225/75R15D	65 PSI/448 KPA	
REAR	ST225/75R15D	65 PSI/448 KPA	
SPARE	ST225/75R15D	65 PSI/448 KPA	

MANUFACTURED BY: FOREST RIVER, Inc. DATE: 3/12/2012
 VIN: 5ZT3CLSB2DA307009 TRA/REM TRA/REM
 GVWR/PWBV: 4627 KG (10200 LB) CLF271BHS
 CLAS307009
 Colder Size: 2268 5000 ST225/75R15D 15X6J 65 PSI/448 KPA
 2268 5000 ST225/75R15D 15X6J 65 PSI/448 KPA

THIS VEHICLE CONFORMS TO ALL APPLICABLE
 U.S. FEDERAL MOTOR VEHICLE SAFETY
 STANDARDS IN EFFECT ON THE DATE OF
 MANUFACTURE SHOWN ABOVE

 THIS VEHICLE CONFORMS TO ALL APPLICABLE
 STANDARDS PRESCRIBED UNDER THE CANADIAN
 MOTOR VEHICLE SAFETY REGULATIONS IN
 EFFECT ON THE DATE OF MANUFACTURE

 CE VEHICULE EST CONFORME A TOUTES LES
 NORMES QUI LUI SONT APPLICABLES EN VERTU
 DU REGLEMENT SUR LA SECURITE DES VEHICULES
 AUTOMOBILES DU CANADA EN VIGUEUR A LA
 DATE DE SA FABRICATION

Entrenet.com

IMG_2569.jpeg



IMG_2570.jpeg



IMG_2571.jpeg



IMG_2572.jpeg



IMG_2573.jpeg



IMG_2574.jpeg



IMG_2575.jpeg



IMG_2576.jpeg



IMG_2577.jpeg



IMG_2578.jpeg



IMG_2605.jpeg



IMG_2606.jpeg



IMG_2581.jpeg



IMG_2582.jpeg



IMG_2583.jpeg



IMG_2584.jpeg



IMG_2585.jpeg



IMG_2586.jpeg




IMG_2587.jpeg





IMG_2593.jpeg



IMG_2594.jpeg



IMG_2595.jpeg



IMG_2596.jpeg



IMG_2597.jpeg



IMG_2598.jpeg



IMG_2599.jpeg



IMG_2600.jpeg



IMG_2601.jpeg



IMG_2602.jpeg



IMG_2603.jpeg





IMG_2590.jpeg



image.jpg

