

IMG\_1306.jpeg





IMG\_1308.jpeg



IMG\_1309.jpeg



IMG\_1311.jpeg



IMG\_1312.jpeg



IMG\_1313.jpeg



IMG\_1314.jpeg



IMG\_1317.jpeg



ENTRAPPED

IMG\_1318.jpeg



IMG\_1321.jpeg



IMG\_1323.jpeg



IMG\_1324.jpeg





IMG\_1327.jpeg



IMG\_1328.jpeg



IMG\_1329.jpeg



IMG\_1330.jpeg



IMG\_1331.jpeg



IMG\_1332.jpeg



IMG\_1333.jpeg



IMG\_1334.jpeg



IMG\_1335.jpeg



IMG\_1336.jpeg



IMG\_1337.jpeg



IMG\_1338.jpeg



IMG\_1322.jpeg



IMG\_1326.jpeg



IMG\_1316.jpeg



IMG\_1315.jpeg







MANUFACTURED BY/FABRIQUE PAR: HEARTLAND RECREATIONAL VEHICLES  
 DATE 2018-11-28  
 GVWR/PNBV 3493 Kg 7700 Lbs  
 GAWR (EACH AXLE)/PNB (CHAQUE ESSIEU) 1588 Kg 3500 Lbs  
 TIRES/PNEU ST205/75R14 D RIM/JANTE 14.5X5.5J  
 COLD INFL. PRESS./PRESS. DE GONFL. A FROID 448 KPA ( 65 PSI/LPC)  
 THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON DATE OF MANUFACTURE. - CE VEHICULE EST CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICLES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION  
 V.I.N./N.I.V. 55FPB3220KE410759 TYPE/TYPE: TRAILER / TRA / REM  
 MODEL: RE275 Pioneer

This vehicle is TSCA TITLE VI COMPLIANT and contains composite wood products that comply with the applicable California Code of Regulations Section 93120.2(a) Phase 2 (P2) formaldehyde emission standards specified on the above date of manufacture.

CARGO CARRYING CAPACITY: 402 Kg/887 Lbs  
 CALCULATED WITH THE FRESH WATER TANKS FULL (COLD 154 Kg/ 340 Lbs HOT 23 Kg/ 50 Lbs)  
 AND THE WASTE WATER TANKS EMPTY  
 CAPACITE DE CHARGEMENT: 402 Kg/887 Lbs  
 CALCULEE AVEC LES RESERVOIRS D'EAU DOUCE PLEINS (FROID 154 Kg/ 340 Lbs CHAUD 23 Kg/ 50 Lbs)  
 ET LES RESERVOIRS D'EAUX USEES VIDES.

MASS OF WASTE WATER WHEN TANKS ARE FULL: 483 Kg 664 Lbs  
 MASSE DES RESERVOIRS D'EAUX USEES PLEINS: 483 Kg 664 Lbs

TIRE AND LOADING INFORMATION / RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

CAUTION: A full load of water equals 177 Kg/390 Lbs of cargo & 1 Kg (2.3 lbs) of water. The weight of the cargo should never exceed 579 Kg (1277 Lbs).

TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE / PRESSION A FROID (PSI / KPA)
FRONT / AVANT	ST205/75R14 D	448 KPA/65 PSI
REAR / ARRIERE	ST205/75R14 D	448 KPA/65 PSI
SPARE / RESERVOIR	ST205/75R14 D	448 KPA/65 PSI

SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION / VOIR LE MANUEL POUR PLUS DE RENSEIGNEMENTS

image.jpg

