





























IMG_1168.jpeg















IMG_1156.jpeg





















MFG BY / FABRIQUE PAR: GULF STEAM COACH, INC.		REFER TO TRIP PLANNER FOR MAXIMUM VEHICLE LOADING	
DATE OF MFG/FABRIQUE DATE: 01/31/24	MFG. VER. MFG. BY: N/A	DATE OF MFG/FABRIQUE: N/A	PNBY/RYNR: 1723 kg (3800)
PNBY AVANT / GAWP FRONT: N/A	PNBY TIRE: N/A	JANTE / RIMS: N/A	PRESS DE GONFL A FROID/COLD INFL PRESS: N/A
PNBY INTERM / GAWP INTERM: N/A	PNBY TIRE: N/A	JANTE / RIMS: N/A	PRESS DE GONFL A FROID/COLD INFL PRESS: N/A
PNBY ARRIERE / GAWP REAR: 1587kg (3500 LB)	PNBY TIRE: ST235/75R15D	JANTE / RIMS: 15 x 6	PRESS DE GONFL A FROID/COLD INFL PRESS: 448 kPa (65psi)
THIS VEHICLE HAS BEEN COMPLETED IN ACCORDANCE WITH THE PRIOR MANUFACTURERS' AND WHERE APPLICABLE, JAN 24 THIS VEHICLE CONFORMS TO ALL APPLICABLE FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. CE VEHICULE EST CONFORME A TOUTES LES NORMES DU LBS (SIN) APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES DU CANADA EN VERTU A LA DATE DE SA FABRICATION			
V. / N.V.	1N1G1616R6017931	Serial No. / No. de serie	76-4-T-150RD-17931
1N1G1616R6017931		B/C	**

TIRE AND LOADING INFORMATION
RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

The weight of cargo should never exceed 367 kg or 809 lbs.
Le poids du chargement ne doit jamais dépasser kg ou lbs.

TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE PRESSION DES PNEUS A FROID	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
FRONT AVANT	N/A	N/A	
REAR ARRIERE	ST235/75R15D	448 kPa (65psi)	
SPARE DE SECOURS	ST235/75R15D	448 kPa (65psi)	

SN: 76-4-T-150RD-17931

RECREATIONAL VEHICLE TRAILER CARGO CARRYING CAPACITY

VN: 1N1G1616R6017931

THE WEIGHT OF CARGO SHOULD NEVER EXCEED 368.9 kg or 809 lbs

CAUTION: A full load of water equals 13.2 kg or 29 lbs of cargo @ 1kg/L (2.2 lb/gal)



Dee Jay Trailers
(BELMONT) LTD.

Go RVing
Life's A Trip™

Hwy. #7, Havelock
www.deejaytrailers.com
1-800-900-5557

MANUFACTURED BY / FABRIQUE PAR: GULF STREAM COACH, INC. **DATE:** 1/25/2024

TYPE OF VEHICLE / TYPE DE VÉHICULE: TRV / RVN

VIN / N.I.V.: MLGSRBZRTDZS **SERIAL / SÉRIE:** 76-4-T-150RD-17931 **MODEL / MODÈLE:** E200

COUNTRY / PAYS: CANADA **PROVINCE / PROVINCE:** ONTARIO **REGISTRATION / RÉGISTRATION:** ONTARIO

WEIGHTS / POIDS:

GROSS WT / POIDS BRUT	GVWR	MAXIMUM GVW	MAXIMUM GROSS WT
1723 KG	1723 KG	N/A	N/A
N/A KG	N/A KG	N/A	N/A
N/A KG	N/A KG	N/A	N/A

CARRIAGE CAPACITY / CAPACITÉ DE CHARGEMENT (KG): 507 KG

CALCULA RUS WTR PR FRESH WATER TANKS FULL / CALCULER ANGLES RESERVINGS D'EAU DOUCE PLAINS

FRESH WATER TANKS EMPTY / LES PESTIONS D'EAU DOUCE VIDES

MASS OF THE WASTE WATER TANKS FULL / MASSES DES RECHARGES D'EAU DOUCE PLEINS

RESIDUAL STAYING CAPACITY / NOYON IN PLACES RESIDUES

THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE / CE VÉHICULE EST CONFORME À TOUTES LES NORMES EN VIGUEUR APPRÉCIABLES EN VUE DU RÉGLEMENT SOUS LA DÉSIGNATION DES PROCESSUS AUTOMOBILES DU CANADA EN PRÉVISION À LA DATE DE SA FABRICATION.

TRAILER WEIGHT INFORMATION

CONSULT OWNER MANUAL(S) FOR SPECIFIC WEIGHING INSTRUCTIONS AND TOWING GUIDELINES.

MODEL	150RD	GVWR	kilograms	pounds
SERIAL #	76-4-T-150RD-17931	UWW*	1356	2991
		NCC*	367	809

REMAINING CAPACITY (RC) INFORMATION

Your carrying capacity is affected by everything put into your trailer.
Use this chart to support your travel needs.

	gallons	Added weight		Rem. Capacity	
		kilograms	pounds	kilograms	pounds
Fresh water @ 8.3 lb/gal	Water Tank	23.1325	87	192	280
Fresh water @ 8.3 lb/gal	Water Heater	6	23	60	257

* Weights shown are calculated weights with options included. Dealer installed equipment will reduce RC.

GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of this trailer when fully loaded. It includes all weight at the trailer axle(s) and tongue or pin.

UWW (Unloaded Vehicle Weight) is the weight of this trailer as manufactured at the factory. It includes all weight at the trailer axle(s) and tongue or pin and full LP tank(s).

NCC (Net Carrying Capacity) is equal to the GVWR minus the UWW.

RC (Remaining Capacity) is equal to the GVWR minus each of the following: UWW, full fresh (potable) water weight, (including water heater).

OPTIONAL EQUIPMENT SHEET
GULF STREAM COACH, INC.
P.O. BOX 800 • BATHURST, ONTARIO L4A 4K8 • TEL: 416-775-7718

Date of Mfg	Model	Serial No.
01/21/24	150RD	

Draw Shaft No.	Trailer Model	Unit	Brand No.	ELECTRICAL SERVICE
Equip Serial No.	76-4-T-150RD-17931	NT-20SE	N/A	Volts
EQUIPMENT LOG	SUBURBAN	N/A	N/A	120v / 12v
furnace	N/A	WH4GEA	N/A	30 amp
2nd furnace	DOMETIC	FABR12SHESA PS	N/A	
Water Heater	FURION	N/A	N/A	PRESSURE REG TYPE (G)
Air Conditioner	N/A	NTXFRT	N/A	LP GAS
2nd Air Cond.	NORCOLO	1204	N/A	
Refrigerator	Capella	P91023AP-K3-FRB	N/A	
Dawn/Ramp	GREYSTONE	N/A	N/A	
Microwave	N/A			
Generator				

See Owner's Manual for all service connection and operating instructions.

[illegible]

CONSULT OWNER MANUAL(S) FOR SPECIFIC WEIGHING INSTRUCTIONS AND TOWING GUIDELINES.

MODEL	150RD	GVWR	kilograms	pounds
SERIAL #	76-4-T-150RD-17931	UWW*	1723	3800
		NCC*	1356	2991
			367	809

REMAINING CAPACITY (RC) INFORMATION

Your carrying capacity is affected by everything put into your trailer.
 Use this chart to support your travel needs.

		Added weight		Rem. Capacity			
		gallons	kilograms	pounds	kilograms	pounds	
Fresh water @ 8.3 lb/gal	Water Tank	23	1325	87	192	280	617
Fresh water @ 8.3 lb/gal	Water Heater	6	23	50	257	567	1250

* Weights shown are calculated weights with options included. Dealer installed equipment will reduce RC.

GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of this trailer when fully loaded. It includes all included weight at the trailer axle(s) and tongue or pin.

UWW (Unloaded Weight) is the weight of this trailer as manufactured at the factory. It includes all included weight at the trailer axle(s) and tongue or pin and full LP tank(s).

NCC (Net Carrying Capacity) is equal to the GVWR minus the UWW.

RC (Remaining Capacity) is equal to the GVWR minus each of the following: UWW, full fresh (potable) water weight, (including water heater).

[illegible]