



MFD BY GENERAL MOTORS LLC
FABRIQUÉ PAR GENERAL MOTORS LLC

GVWR GAWR FRT GAWR RR
PNBV PNBE AV. PNBE ARR.
4309KG(9500LB) 2177KG(4800LB) 2812KG(6200LB)



ICES/NMB-002



1GT12SEG1HF241686 TYPE: TRU/CAM

MODEL/MODÈLE	K26743				
KFZM	TIRE SIZE	SPEED RTG	RIM	MAX TIRE PRESSURE	
	DIM.	PNBE CC/VE VITESSE	JANTE	PRESSION A FROID	
FRT/AV.	LT265/70R17E	0	17X7.5J	420 KPA(60PSI)	
RR/ARR.	LT265/70R17E	0	17X7.5J	420 KPA(60PSI)	
SPA/SOS	LT265/70R17E	0	17X7.5J	550 KPA(80PSI)	

Entrepreneur

IMG_3369.jpeg



IMG_8941.jpeg



IMG_8942.jpeg



IMG_8943.jpeg



IMG_8944.jpeg



IMG_8945.jpeg



IMG_8946.jpeg



IMG_8947.jpeg



IMG_8948.jpeg



IMG_8949.jpeg



IMG_8950.jpeg



IMG_8951.jpeg



IMG_8952.jpeg



IMG_8953.jpeg



IMG_8954.jpeg



IMG_8955.jpeg



IMG_8956.jpeg



IMG_8957.jpeg



IMG_8958.jpeg



IMG_8959.jpeg



IMG_8960.jpeg



IMG_8961.jpeg



IMG_8962.jpeg



IMG_8963.jpeg



IMG_8964.jpeg



IMG_8965.jpeg



Entrepreneur

IMG_8966.jpeg



IMG_8969.jpeg



IMG_8970.jpeg



IMG_8971.jpeg



IMG_8972.jpeg



IMG_8973.jpeg



IMG_8974.jpeg







IMG_8977.jpeg



IMG_8978.jpeg



IMG_8979.jpeg



IMG_8980.jpeg



IMG_8981.jpeg



IMG_8982.jpeg



IMG_8983.jpeg



IMG_8984.jpeg



IMG_8985.jpeg



IMG_8986.jpeg





IMG_8988.jpeg



IMG_8989.jpeg





IMG_8991.jpeg



IMG_8992.jpeg



IMG_8993.jpeg



IMG_8937.jpeg



IMG_8938.jpeg



IMG_8939.jpeg



IMG_8940.jpeg

