

IMG\_0972.jpeg





IMG\_0974.jpeg



IMG\_0975.jpeg



IMG\_0977.jpeg



IMG\_0978.jpeg





ET

IMG\_0980.jpeg



IMG\_0981.jpeg



IMG\_0982.jpeg



IMG\_0983.jpeg





IMG\_0985.jpeg



IMG\_0986.jpeg



IMG\_0987.jpeg



IMG\_0988.jpeg



IMG\_0989.jpeg



IMG\_0990.jpeg



IMG\_0991.jpeg



IMG\_0992.jpeg



IMG\_0993.jpeg



IMG\_0994.jpeg



IMG\_0995.jpeg





IMG\_0997.jpeg



IMG\_0998.jpeg



IMG\_1001.jpeg





Entrepreneur











Entrepreneur



Entrance

IMG\_1009.jpeg



**TIRE AND LOADING INFORMATION - RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT**

The weight of cargo should never exceed 1401 kg or 3088 lb  
 Le poids du chargement ne doit jamais dépasser 1401 kg ou 3088 lb

TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE PRESSION DES PNEUS A FROID	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
FRONT AVANT	ST225/75R15(D)	448 kpa 65 psi	47CTRB21EM449759
REAR ARRIERE	ST225/75R15(D)	448 kpa 65 psi	
SPARE DE SECOURS	ST225/75R15(D)	448 kpa 65 psi	

UUV of this trailer is 2,908 kgs (6,412 lbs).  
 The GVWR of this trailer is 4,309 kgs (9,500 lbs).

**MANUFACTURED BY / FABRIQUE PAR: DUTCHMEN MANUFACTURING, INC.**

GVWR/PNBV: 4309 KG / 9500 LB      DATE: MARCH 2013

GAWR/PNBE	TIRES/PNEU	RIMS/JANTE	COLD INFL. PRESS./ PRESS. DE GONFL. AFROID	
FRONT / AVANT 2304 KG / 5080 LB	ST225/75R15(D)	15X6JJ	448 KPA 65 PSI/LPC	SINGLE <input checked="" type="checkbox"/> DUAL <input type="checkbox"/>
INTERM. /INTERM. 0 KG/ 5080 LB			0 KPA 0 PSI/LPC	SINGLE <input type="checkbox"/> DUAL <input type="checkbox"/>
REAR / ARRIERE 2304 KG / 5080 LB	ST225/75R15(D)	15X6JJ	448 KPA 65 PSI/LPC	SINGLE <input checked="" type="checkbox"/> DUAL <input type="checkbox"/>

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.  
 THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE/CE VEHICULE EST CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION. ALL WEIGHTS ARE APPROXIMATE

V.I.N./N.I.V.: 47CTRB21EM449759    TYPE: TRA/REM    MODEL: R2100

IMG\_0984.jpeg



IMG\_0977.jpeg

