

IMG_7031.jpeg



IMG_7037.jpeg



IMG_7030.jpeg



IMG_7022.jpeg



IMG_7038.jpeg



IMG_7029.jpeg



IMG_7024.jpeg



IMG_7039.jpeg



IMG_7032.jpeg



Entrepreneur

IMG_7040.jpeg



IMG_7033.jpeg




IMG_7023.jpeg





Entrepex



IMG_7034.jpeg



IMG_7035.jpeg



IMG_7036.jpeg



IMG_7015.jpeg



IMG_7016.jpeg



IMG_7018.jpeg



IMG_7019.jpeg



IMG_7020.jpeg



IMG_7021.jpeg







MANUFACTURER:
Haulotte 
 GROUP
 TAYLOR PARKWAY • ARCHBOLD, OH 43502 USA

YEAR OF MANUFACTURE



SERIAL NUMBER: 45X13-00004



THIS IS AN ELECTRICAL SYSTEM

MAXIMUM PLATFORM HEIGHT: 45 ft / 13.7 m

MAXIMUM PLATFORM REACH: 27 ft / 8.2 m

SYSTEM ELECTRICAL

MAXIMUM LOAD CAPACITY: 300 lbs / 227 kg

BATTERY VOLTAGE

MAXIMUM NUMBER OF OCCUPANTS: 2

EXTERNAL ELECTRICAL

MAXIMUM NUMBER OF OCCUPANTS + LOAD: 2

POWER SOURCE (ENGINE)

MAXIMUM ALLOWABLE MANUAL FORCE: 90 lbs / 400 N

EQUIPPED WITH MATERIAL HANDLING ATTACHMENT (YES/NO)

MAXIMUM ALLOWABLE CHASSIS INCLINATION: 15°

MAXIMUM ALLOWABLE WIND SPEED

UNLOADED MASS (GVW): 4500 lbs / 2045 kg

OPERATING TEMPERATURE RANGE

THIS MACHINE COMPLIES WITH THE REQUIREMENTS OF ANSI/SAIA A92.5, CAN/CSA B354.4, AS/NZS 1418.10 AND

ENTERPRISE

IMG_7042.jpeg



IMG_7043.jpeg



IMG_7044.jpeg



E

IMG_7045.jpeg



IMG_7046.jpeg



IMG_7047.jpeg



IMG_7048.jpeg



IMG_7049.jpeg





IMG_7051.jpeg



IMG_7052.jpeg

