

image.jpg



Entirety

image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg




image.jpg



image.jpg



ET



Forest River, Inc.
20 P2 and
Title VI
compliant
FRZ-035_7

TIRE	SIZE
FRONT	ST205/75R15C
REAR	ST205/75R15C
SPARE	ST205/75R15C

Entrepreneur



TIRE AND LOADING INFORMATION

The combined weight of cargo should never exceed 2327 kg or 5131 lbs.

TIRE	SIZE	COLD TIRE PRESSURE	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION
FRONT	ST205/75R15C	50 PSI / 345 KPA	
REAR	ST205/75R15C	50 PSI / 345 KPA	
SPARE	ST205/75R15C	50 PSI / 345 KPA	

E
H
N
1
1
6
6
4
4
5



RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

Le poids du chargement ne doit jamais dépasser 2327 kg ou 5131 lb.

PNEU	DIMENSIONS	PRESSION DES PNEUS A FROID	VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
AVANT	ST205/75R15C	50 LB/PO2 / 345 KPA	
ARRIERE	ST205/75R15C	50 LB/PO2 / 345 KPA	
DE SECOURS	ST205/75R15C	50 LB/PO2 / 345 KPA	

E
H
N
1
1
6
6
4
4
5

Entrepreneur

image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



Entrepreneur

image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



Entr

image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg

