

image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg





TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE PRESSION DES PNEUS A FROID	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
FRONT AVANT	ST225/75R15	80	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS FD-322
REAR ARRIERE	ST225/75R15	80	
SPARE DE SECOURS	ST225/75R15	80	

SHIP SHEWANA, INDIANA

GVWR/PNBV 4534 KG (9995 LB)  
GAWR(EACH AXLE)/PNBE (CHAQUE ESSIEU) 1996 KG (4400 LB) TIRES/PNEUS ST225/75R15  
RIMS/JANTE 15 x 6-5.5  
COLD INFL. PRESS./PRESS. DE GONFL. A FROID 552 KPA (80 PSI/PC)  
THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE  
OF MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE  
CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF THE MANUFACTURE. - CE VEHICULE EST  
CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES  
VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION.

VIN/N.I.V. 58TFX31240027215 FIVE TYRES, Fifth Wheel TRAILER 171 F268TS



Entrepreneur



ENTIREX

image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg




image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg




image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg

