

IMG\_9262.jpeg



IMG\_9263.jpeg



IMG\_9264.jpeg



IMG\_9265.jpeg



IMG\_9266.jpeg



IMG\_9267.jpeg



IMG\_9268.jpeg



IMG\_9269.jpeg



IMG\_9270.jpeg



IMG\_9280.jpeg



IMG\_9281.jpeg



IMG\_9282.jpeg





IMG\_9297.jpeg



IMG\_9298.jpeg



IMG\_9271.jpeg





IMG\_9271.jpeg





IMG\_9273.jpeg



IMG\_9274.jpeg



IMG\_9275.jpeg





IMG\_9277.jpeg



IMG\_9278.jpeg



IMG\_9279.jpeg



IMG\_9284.jpeg



IMG\_9285.jpeg



IMG\_9286.jpeg



IMG\_9287.jpeg



IMG\_9288.jpeg





IMG\_9290.jpeg



IMG\_9291.jpeg



IMG\_9292.jpeg



IMG\_9293.jpeg



IMG\_9294.jpeg



IMG\_9295.jpeg



IMG\_9296.jpeg






IMG\_9300.jpeg



Entrepreneur



35-518

ENT  
2,486 kg or 5,480 lbs.  
SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION. VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS.

MANUFACTURED BY / FABRIQUÉ PAR : ATLAS SPECIALTY PRODUCTS  
DATE : 12/2014 GVWR / PNBV : 3175 KG (7000 LB)  
GAWR (EACH AXLE) / PNBE (CHAQUE ESSIEU) TIRE / PNEU RIM / JANTE COLD INFL. PRESS. / PRESS. DE GONFL. À FROID  
1588 KG (3500 LB) ST205/75D15 C 15 X 5.5 J 345 KPA (50 PSI) SINGLE  
THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. / CE VEHICULE EST CONFORME À TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU RÈGLEMENT SUR LA SÉCURITÉ DES VÉHICULES AUTOMOBILES DU CANADA EN VIGUEUR À LA DATE DE SA FABRICATION  
THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE  
V.I.N./N.I.V. : 5HCKU1029FE032649 TYPE : TRA/REM AU610TA2

Entrepreneur



IMG\_9280.jpeg



IMG\_9281.jpeg



IMG\_9297.jpeg



IMG\_9298.jpeg

