

20260511\_130735.jpg





20260511\_130744.jpg



20260511\_130749.jpg



20260511\_130800.jpg









20260511\_130821.jpg







20260511\_130847.jpg









20260511\_130916.jpg









20260511\_131451.jpg



20260511\_131640.jpg



20260511\_131652.jpg





20260511\_131654.jpg



20260511\_131656.jpg



20260511\_131658.jpg





20260511\_131701.jpg






20260511\_131707.jpg



20260511\_131712.jpg



20260511\_131713.jpg



20260511\_131715.jpg



20260511\_131717.jpg







20260511\_131722.jpg



20260511\_131727.jpg



20260511\_131729.jpg





20260511\_131733.jpg



20260511\_131737.jpg



20260511\_131740.jpg



20260511\_131741.jpg



20260511\_131746.jpg



20260511\_132726.jpg



20260511\_132752.jpg





20260511\_132901.jpg



20260511\_132910.jpg















**RECREATIONAL VEHICLE TRAILER CARGO CARRYING CAPACITY**  
 Capacité de transport de chargement de caravane de véhicule de récréation

**CARGO-CARRYING CAPACITY IS DETERMINED WITH THE FRESH WATER TANKS FULL AND THE WASTE TANKS EMPTY**  
 Capacité de chargement est calculée avec les réservoirs d'eau douce pleins et les réservoirs d'eaux usées vides

Dry weight/Poids Sec:	2762 KG	VIN/NIV:	5ZT2TRSB4JB514151
Cargo carrying capacity:	483 KG	Capacité de transport de chargement:	483 KG
Calculated with the fresh water tanks full	Cold: 158 KG Hot: 23 KG	Calculé avec les réservoirs d'eau douce pleins	Froid: 158 KG Chaud: 23 KG
Mass of waste water tank full:	339 KG	Masses de réservoirs d'eaux usées pleins:	339 KG

Forest River, Inc.  
 CARB 93120 Compliant  
 With applicable  
 Phase 2 emission

**TIRE AND LOADING INFORMATION**

The combined weight of Cargo should Never Exceed: **664 Kgs or 1463 Lbs**

TIRE	SIZE	COLD TIRE PRESSURE	SEE OWNER'S
FRONT	ST205/75R14/D	65 PSI / 436 KPA	MANUAL FOR
REAR	ST205/75R14/D	65 PSI / 436 KPA	ADDITIONAL
SPARE	ST205/75R14/D	65 PSI / 436 KPA	INFORMATION

**RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT**

Le poids du chargement ne doit jamais dépasser **664 Kgs or 1463 Lbs**

PNEU	DIMENSIONS	PRESSION DES PNEUS A FROID	VOIR LE MANUEL
AVANT	ST205/75R14/D	65 lb/po2 436 KPA	DE L'USAGER
ARRIERE	ST205/75R14/D	65 lb/po2 436 KPA	POUR PLUS DE
DE SECOURS	ST205/75R14/D	65 lb/po2 436 KPA	RENSEIGNEMENTS

MANUFACTURED BY / FABRIQUE PAR: **FOREST RIVER, INC.** DATE: **11/29/2017**

V.I.N./N.I.V.: **5ZT2TRSB4JB514151** TRT274BH TRB514151

GAWR/PNEU: **3443 KG 7590 LB** TYPE/TYPE: **TRA/REM**

GAWR/PNEU	TIRE/PNEU	RIMS/JANTE	COLD INFL PRESS/PRESS DE GONFL A FROID
FRONT/AVANT ( <b>1588 KG 3500 LB</b> )	<b>ST205/75R14/D</b>	<b>14X5.5JJ</b>	<b>436 KPa</b> SINGLE DUAL ( <b>65 PSIA/PC</b> ) <input checked="" type="checkbox"/> <input type="checkbox"/>
INTERM/NTERM ( <b>0 KG 0 LB</b> )			<b>0 KPa</b> SINGLE DUAL ( <b>0 PSIA/PC</b> ) <input type="checkbox"/> <input type="checkbox"/>
REAR/ARRIERE ( <b>1588 KG 3500 LB</b> )	<b>ST205/75R14/D</b>	<b>14X5.5JJ</b>	<b>436 KPa</b> SINGLE DUAL ( <b>65 PSIA/PC</b> ) <input checked="" type="checkbox"/> <input type="checkbox"/>

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE.

CE VEHICULE EST CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION.

