

IMG\_1045.jpeg



IMG\_1046.jpeg



IMG\_1047.jpeg



IMG\_1048.jpeg



IMG\_1049.jpeg



EM

IMG\_1050.jpeg



IMG\_1051.jpeg



IMG\_1052.jpeg



IMG\_1053.jpeg



IMG\_1054.jpeg



IMG\_1055.jpeg



IMG\_1056.jpeg



IMG\_1057.jpeg



IMG\_1059.jpeg



IMG\_1058.jpeg



IMG\_1060.jpeg



IMG\_1061.jpeg



IMG\_1063.jpeg



IMG\_1064.jpeg



IMG\_1065.jpeg



IMG\_1066.jpeg



IMG\_1067.jpeg



IMG\_1068.jpeg



IMG\_1069.jpeg



IMG\_1070.jpeg



IMG\_1073.jpeg



IMG\_1076.jpeg



IMG\_1084.jpeg



IMG\_1085.jpeg



IMG\_1086.jpeg



IMG\_1087.jpeg



IMG\_1088.jpeg



IMG\_1089.jpeg





MFD. BY MITSUBISHI MOTORS CORPORATION, JAPAN

GWR/PNBV 4343LBS/1970KG

GAWR/PNBE FR 2271LBS/1030KG

WITH P215/70R16 TIRES 16X6.5J RIMS

GAWR/PNBE RR 2205LBS/1000KG

WITH P215/70R16 TIRES 16X6.5J RIMS

CAN ICES-2/NB-2



JA4AJ0AUXNU602926

7430C 446

VEHICLE TYPE: MPV/VTUM

Entrepreneur

IMG\_1073.jpeg



IMG\_1090.jpeg



IMG\_1080.jpeg



IMG\_1081.jpeg



IMG\_1082.jpeg



IMG\_1083.jpeg



IMG\_1062.jpeg

