

image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



ENTREPEX

image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



EVA

image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg





MFD. BY FORD MOTOR CO

DATE: 08/18
GAWR/PNBE (FR/AV): 995 KG (2194 LB)
TIRE/PNEU: (FR/AV): 205/50R17 93H
(RR/AR): 205/50R17 93H
kPa/PSI(COLD)/lb/po² (A FROID):
(FR/AV): 250/36
VIN: MAJ6P1WL2JC241836
TYPE: MPV/VTUM
MAXIMUM LOAD/CHARGE MAXIMALE = 875KG / 822LB
OCCUPANTS + LUGGAGE/BAGAGES = 2 FR, AV, 3 RR, AR
OCCUPANTS = 5 TOTAL/TOTALE

GVWR/PNBV: 1929 KG (4253 LB)
(RR/AR): 940 KG (2072 LB)
RIMS/JANTES:
(FR/AV): 17x7.0J
(RR/AR): 17x7.0J
(RR/AR): 250/36

977
CANADA
TRANSPORT
EC

MAJ6P1WL2JC241836

TRAILER TOWING - SEE OWNER GUIDE
TRACTION D'UNE REMORQUE - VOIR LE GUIDE DU PROPRIÉTAIRE

COMPLIES ICES/NMB-002
F0003
R0017

EXT PNT:	INT TR	TP/PS	TR AXLE	TR SPR	TR
	4B		7 35		UJJI

FNC 505A-5420472-AA