

IMG\_0143.jpeg



IMG\_0144.jpeg



IMG\_0145.jpeg



IMG\_0146.jpeg





ELI

IMG\_0148.jpeg



IMG\_0149.jpeg



IMG\_0150.jpeg



IMG\_0151.jpeg



IMG\_0152.jpeg



IMG\_0153.jpeg



IMG\_0154.jpeg





IMG\_0156.jpeg



IMG\_0157.jpeg



IMG\_0158.jpeg



IMG\_0159.jpeg



IMG\_0160.jpeg



IMG\_0161.jpeg



IMG\_0162.jpeg



IMG\_0163.jpeg



IMG\_0164.jpeg



IMG\_0165.jpeg



IMG\_0166.jpeg



IMG\_0167.jpeg







Ouellet

IMG\_0170.jpeg



IMG\_0171.jpeg



IMG\_0172.jpeg



IMG\_0173.jpeg




IMG\_0174.jpeg



IMG\_0175.jpeg



IMG\_0176.jpeg



IMG\_0177.jpeg





IMG\_0179.jpeg






IMG\_0181.jpeg





MANUFACTURED BY / FABRIQUE PAR: **WEBERLANE MFG.**  
Model No: **W716CCTW** 519-291-5035  
TYPE: **TRA/RÉM** DATE: **2023**  
TRAILER WEIGHT: **1185 KG** KG. V.I.N. / N.I.V.:  
GVWR / PNBV: **3,200 KG** **2W9350024PC168519**

GAWR / PNBE KG	TIRE / PNEU	RIM / JANTE
1 <sup>re</sup> <b>1,600 KG</b>	<b>ST205/75R15</b>	<b>15 X 5</b>
2 <sup>de</sup> <b>1,600 KG</b>	<b>ST205/75R15</b>	<b>15 X 5</b>

  
COLD INFL. PRESS. /  
PRESS. DE GONFL. 'A FROID  
PSI / LPC KPA  
**50 PSI**  
**50 PSI**

Entrepreneur