

20260528_133525.jpg





20260528_133542.jpg



20260528_133557.jpg



20260528_133602.jpg





20260528_133612.jpg



20260528_133617.jpg





Entrepreneur

20260528_133626.jpg





20260528_133638.jpg



20260528_133642.jpg






TIRE AND LOADING INFORMATION
RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

The weight of cargo should never exceed 1567.16 KG
or 3455 LBS. Le poids de chargement ne devrait
jamais excéder 1567.16 KG ou 3455 LBS.

TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE PRESSION DES PNEUS A FROID	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
FRONT AVANT	235/80R 16E	552 KPA /80 PSI	
REAR ARRIERE	235/80R 16E	552 KPA /80 PSI	
SPARE DE SECOURS	235/80R 16E	552 KPA /80 PSI	

C)
HICILE CONFORMS
LE EST CONFORME
DE SA FABRICATION.
0QB13
6.02 KG
RS D'EAU
KG.
(KG.)
SÉES VIDES
AUX



20260528_133659.jpg



20260528_133704.jpg



20260528_133716.jpg











20260528_133941.jpg









20260528_133952.jpg



20260528_133954.jpg



20260528_133956.jpg



20260528_133958.jpg





20260528_134003.jpg



ET



20260528_134007.jpg









20260528_134022.jpg





20260528_134026.jpg



20260528_134032.jpg





20260528_134035.jpg



20260528_134037.jpg





















20260528_135633.jpg





20260528_135658.jpg



MANUFACTURED BY/FABRIQUE PAR: CrossRoads RV DATE: 7/9/2012
305 Hawpatch Drive
Topeka, IN 46571

GVWR/PNBV 5576.01 KG (12293.00 LB)
GAWR (EACH AXLE)/PNBE(CHAQUE ESSIEU) 2358.68 KG (5200.00 LB)
TIRE/PNEU 235/80R 16E RIMS/JANTE 16 X 6K
COLD INFL. PRESS/PRESS. DE GONFL. A FROID 551.58 KPA (80.00 PSI/LPC)

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. - CE VEHICULE EST CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION.

V.I.N./N.I.V.: 4V0FC3124DE011228 TYPE/TYPE: TRAILER TRA/REM: CF310QB13

CARGO-CARRYING CAPACITY: 1376.02 KG
CALCULATED WITH THE FRESH WATER
TANKS FULL (COLD 181 KG.
HOT 38 KG.)

AND THE WASTE WATER TANKS EMPTY
MASS OF WASTE WATER
TANKS FULL: 452 KG

CAPACITÉ DE CHARGEMENT: 1376.02 KG
CALCULÉE AVEC LES RÉSERVOIRS D'EAU
DOUCE PLEINS (FROID 181 KG.
CHAUD 38 KG.)

ET LES RÉSERVOIRS D'EAUX USÉES VIDES
MASSE DES RÉSERVOIRS D'EAUX
USÉES PLEINS: 452 KG

F
A
R
ARR
SPA
DE SEC

ENTREPRENEUR