

IMG_3665.jpeg



IMG_3666.jpeg



IMG_3667.jpeg



IMG_3668.jpeg



IMG_3670.jpeg





IMG_3672.jpeg




IMG_3673.jpeg



FILE

IMG_3674.jpeg





IMG_3676.jpeg



IMG_3677.jpeg



IMG_3678.jpeg



IMG_3679.jpeg



IMG_3680.jpeg



IMG_3682.jpeg



IMG_3683.jpeg



WARNING!
THIS CIRCUIT SHALL NOT BE TURNED ON UNTIL
WATER HEATER TANK IS COMPLETELY FILLED.
DRY OPERATION MAY OVERHEAT OR DAMAGE
THE HEATER ELEMENTS



Entrepreneur

IMG_3685.jpeg



IMG_3686.jpeg



IMG_3687.jpeg



IMG_3688.jpeg



IMG_3689.jpeg



IMG_3690.jpeg



IMG_3691.jpeg



IMG_3693.jpeg



IMG_3694.jpeg



MANUFACTURED BY/FABRIQUE PAR: HEARTLAND RECREATIONAL VEHICLES
 DATE 5/13/2016
 GVWR/PNBV 2785.1 Kg 6140 Lbs.
 GAWR (EACH AXLE)/PNB (CHAQUE ESSIEU) 1270 Kg 2800 Lbs.
 TIRES/PNEU ST205/75/R14 RIM/JANTE 14 X 5.5
 COLD INFL. PRESS./PRESS. DE GONFL. A FROID 345 KPA (50 PSI/PC)

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON DATE OF MANUFACTURE. - CE VEHICULE EST CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICLES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION

V.I.N./N.I.V. 5SFNB2229H1326618 TYPE/TYPE: TRAILER / TRA / REM
 MODEL: 191WB Sundance

TIRE AND LOADING INFORMATION
RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

CAUTION:
 A full load of water equals 189 Kg/415 Lbs of cargo @ 1 Kg/L (8.3 lbs/gal)
 The weight of the cargo should never exceed 861 Kg or 1899 Lbs.

TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE / PRESSION DES PNEUS A FROID
FRONT AVANT	ST205/75/R14	345 KPA / 50 PSI
REAR ARRIERE	ST205/75/R14	345 KPA / 50 PSI
SPARE DE SECOURS	ST205/75/R14	345 KPA / 50 PSI

SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION
 VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS

CARGO CARRYING CAPACITY: 672 Kg/1484 Lbs	MASS OF WASTE WATER WHEN TANKS ARE FULL:
CALCULATED WITH THE FRESH WATER TANKS FULL (COLD 166 Kg/365 Lbs HOT 23 Kg/50 Lbs)	296 Kg
AND THE WASTE WATER TANKS EMPTY	631 Lbs
CAPACITE DE CHARGEMENT: 672 Kg/1484 Lbs	MASS OF WASTE WATER D'EAUX USEES PLEINS:
CALCULEE AVEC LES RESERVOIRS D'EAU DOUCE PLEINS (FROID 166 Kg/365 Lbs CHAUD 23 Kg/50 Lbs)	296 Kg
ET LES RESERVOIRS D'EAUX USEES VIDES.	631 Lbs

IMG_3673.jpeg



IMG_3674.jpeg



IMG_3678.jpeg



IMG_3677.jpeg



ETI



IMG_3692.jpeg

