



**WEIGHT INFORMATION**  
**PNEUS ET LE CHARGEMENT**

FRONT	1	REAR	2	AXLE	5
lb		kg		lb	
1335		600		1235	
600		270		560	

**SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION**  
**VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS**

PRESSURE PNEUS A FROID  
 35 PSI  
 35 PSI  
 UCUN

06/21

MFD. BY: TOYOTA MOTOR MANUFACTURING, INDIANA, INC.  
 GVWR/PNBV: 2800KG  
 GVWR/PNBV: 1590 KG WITH/AVEC P235/65R17 TIRES/PNEUS  
 RIMS/JANTES  
 17XJ  
 RR/ARR 1590 KG WITH/AVEC P235/65R17 TIRES/PNEUS  
 RIMS/JANTES  
 17XJ

ICES/MB-002 TYPE  
 5T0GSKFC2MS028231 MPV/VTUM

C/TR: 218/EA10 AXH45L-PNXXHA  
 A/TM: /P810 MADE IN U.S.A. 484

B

image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



Entrepreneur

image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg



image.jpg

