



20260626_111539.jpg



20260626_111542.jpg





Entu



20260626_111545.jpg



20260626_111609.jpg





20260626_112219.jpg



20260626_112221.jpg



20260626_112226.jpg



20260626_112236.jpg







20260626_112258.jpg







20260626_112309.jpg





Entrepreneur



ENTREPRENEUR







20260626_112602.jpg



20260626_112606.jpg



20260626_112610.jpg



20260626_112615.jpg



Entrepreneur

20260626_112617.jpg



20260626_112625.jpg



20260626_112630.jpg







20260626_112642.jpg



20260626_112647.jpg





20260626_112653.jpg





20260626_112712.jpg



20260626_112715.jpg



ENTROPOLCA

20260626_112721.jpg







20260626_112732.jpg





20260626_112745.jpg



20260626_112754.jpg



20260626_112756.jpg



20260626_112759.jpg



20260626_112807.jpg



20260626_112810.jpg



20260626_112813.jpg



20260626_112817.jpg





MFD BY GENERAL MOTORS DE MEXICO, S. DE R.L. DE C.V. 10/16
FAB. PAR GENERAL MOTORS DE MEXICO, S. DE R.L. DE C.V.

GVWR 3266KG(7200LB)
PNBV
GAWR FRT 1792KG(3950LB)
PNBE AV.
GAWR RR 1792KG(3950LB)
PNBE ARR.



ICES/NMB-002



3GCUKNEC6HG197288 TYPE: TRU/CAM

MODEL/MODÈLE K15743

KD4J	TIRE SIZE	SPEED RTG	RIM	COLD TIRE PRESSURE
	DIM. PNEU	COTE VITESSE	JANTE	PRESSION À FROID
FRT/AV.	P255/70R17	S	17X8J	240 KPA(35PSI)
RR/ARR.	P255/70R17	S	17X8J	240 KPA(35PSI)
SPA/SOS	P255/70R17	S	17X7.5J	240 KPA(35PSI)

Entrepreneur



ENTREPRENEUR



20260626_111456.jpg



20260626_111451.jpg



20260626_111446.jpg



20260626_111441.jpg



